



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 236 467 A1**

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
04.09.2002 Bulletin 2002/36

(51) Int Cl.7: **A61K 9/72, A61K 31/167**

(21) Application number: **02004635.5**

(22) Date of filing: **28.02.2002**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **02.03.2001 IT MI010428**

(71) Applicant: **Chemo Healthcare S.A.**
6901 Lugano-Cassarate (CH)

(72) Inventors:
• **Gagnoni, Alessandro**
21037 Lavena Ponte Tresa (VA) (IT)
• **Meoli, Andrea**
6955 Cagiallo (CH)
• **Vanossi, Sereno**
6821 Rovio (CH)

(74) Representative: **Minoja, Fabrizio, Dr.**
Blanchetti Bracco Minoja S.r.l.
Via Rossini, 8
20122 Milano (IT)

(54) **Inhalatory compositions of formoterol**

(57) Inhalatory pharmaceutical compositions containing Formoterol as active ingredient, comprising:

- a vial containing a sterile liquid vehicle suitable for inhalation;
- a reservoir chamber cap containing a powder mixture consisting of Formoterol or a related salt in mi-

cronized form and one or more excipients, soluble in the vehicle and suitable for respiratory use.

EP 1 236 467 A1

Description

[0001] The present invention relates to pharmaceutical compositions for the administration to the lungs of Formoterol in aqueous solution.

BACKGROUND OF THE INVENTION

[0002] The inhalation therapy in the field of respiratory tract diseases includes different methods for the administration of the drug to the lungs. The aerosol can be obtained by nebulization of the product from a pressurized metered dose inhaler, by dispersion of a dry powder with suitable devices and by mechanical or ultrasound atomization of aqueous solutions or suspensions.

[0003] The currently used formulations contain excipients physiologically compatible with the bronchial epithelium, usually consisting of co-solvents, preservatives, chelating agents, pH regulators and surfactants.

[0004] In the case of solution products, the respirable fraction is determined by the atomization efficiency and by the size of the aerosol particles produced by the nebulizing equipment. In the case of suspensions, the respirable fraction is determined also by the particle size of the used micronized active ingredient.

[0005] A characteristic of some active ingredients is the poor chemical (degradation) or physical (crystal morphological changes) stability in solution or suspension. As a consequence, the shelf life of the finished product upon storage in normal ambient condition, and sometime even in refrigerator, is insufficient.

[0006] Formoterol is a drug belonging to the class of beta2-agonists, characterized by rapid onset of broncho-dilating action which lasts for many hours. For the treatment of asthma, Formoterol is usually administered through the inhalatory route by means of the so called dry powder inhalers (DPI), storable under normal ambient conditions, or in form of suspensions or solutions by means of pressurized metered dose inhalers, which should be stored in refrigerator, in view of the above discussed poor stability of the active ingredients in aqueous medium.

[0007] The stability problem of active ingredients in solutions may also be solved by a conventional technology adopted in the pharmaceutical and parapharmaceutical fields, based on reservoir container systems designed for the reconstitution of solution immediately before use, wherein a liquid component (solvent) and a solid component (soluble material) are placed in separate compartments.

[0008] Two basic problems are met if this technology is considered for Formoterol formulations for the inhalatory use. The first is the possibility to dose the quantity of active ingredient with sufficient precision. The standard dose of Formoterol is within the range of some tens of micrograms, usually about 12 micrograms: with the current technology it is quite impossible to dose such quantities with sufficient precision in industrial processes. This problem can be bypassed by the method disclosed in WO 99/17754, consisting in the dissolution of the active ingredient and solid excipients in water, filling of solution in a reservoir container and followed by freeze drying in order to obtain a solid state open matrix network. The other problem is that the excipients have to be chosen only among those approved for the respiratory use, with demonstrated tolerability on the respiratory tract.

[0009] The present invention solves the problems concerning active ingredient stability, dosage uniformity and tolerability of the formulation to the lungs, by applying the technology of capsule production to the container system for the extemporaneous reconstitution of a solution immediately before use.

DESCRIPTION OF THE INVENTION

[0010] The invention provides pharmaceutical compositions for the inhalatory use comprising Formoterol in dry powder form.

[0011] The compositions of the invention comprise:

- a vial containing a sterile liquid vehicle suitable for inhalation;
- a reservoir chamber cap containing a powder mixture consisting of Formoterol or a related salt in micronized form and one or more excipients, soluble in the vehicle and suitable for respiratory use.

A barrier of suitable material that has the function to maintain the solid component separated from the liquid component delimits this chamber caps. The caps also have a mechanism in order to easily remove or break this separation.

[0012] Immediately before the use, the patient breaks the barrier and shakes the container so as to contact the two components (liquid and solid).

[0013] The excipients of the solid component dissolve in the liquid and Formoterol is dissolved or suspended in the liquid, depending on the composition of the liquid component. After this step, the vial can be opened and the mixture is transferred into the nebulizer equipment, for inhalation according to the instructions of each device, which may be air-driven or ultrasound-driven.

[0014] This container system is suitable for delivering both single dose and multidose. In this case the container must be closed again after delivery of the first dose and stored in refrigerator for subsequent use.

[0015] The system of the invention is also useful for combinations of Formoterol with other active ingredients, such as Budesonide, Fluticasone, Mometasone, Flunisolide, Ipratropium bromide and others that can be in solution in the liquid component or in the solid component mixed with the others solid excipients.

[0016] The extemporaneously prepared product showed very good stability for the period of administration that, normally, last no longer than 15 minutes.

[0017] In case of product in suspension, the preferred size of the active ingredient crystals is that normally used for respiratory powders, namely less than 10 microns, preferably 1 to 5 microns, that is the range usually required for respiratory products.

[0018] In case of product for dissolution in the liquid component, tests were performed with both micronized crystalline active ingredient and active ingredient premixed with the other excipients (for instance lactose) and dissolved in a suitable solvent. After that, a powder easily soluble in the liquid component was obtained by means of spray dry technology.

[0019] In both cases the "in vitro" respirable fraction values obtained were similar to those of other products marketed in the form of inhalatory solution or suspension (15 - 25 %).

[0020] The liquid vehicle contained in the vial is preferably sterile water, which may be added with co-solvents and other excipients, for example preservative and surfactants, such as cetostearyl alcohol, polysorbate 80, sorbitan trioleate and cetyl pyridinium chloride. Examples of co-solvents are ethanol and propylene glycol.

[0021] Preferred surfactants are cetostearyl alcohol and polysorbate 80, in quantity from 0.01 to 0.5 % w/w.

[0022] A preferred co-solvent is propylene glycol in amounts from 10 to 50 %, preferably from 20 to 40 %.

[0023] The isotonicity of the solution may be adjusted by addition of a suitable quantity of sodium chloride to the liquid component, to improve physiological tolerance.

[0024] Formoterol is used in the formulations of the invention preferably as fumarate, in a dose range from 5 to 25 micrograms.

[0025] The solid excipients mixed with Formoterol include saccharides, amino acids and other components suitable for respiratory use. Preferred excipients are lactose, mannitol, glucose and isoleucine in quantity from 5 to 200 mg per dose.

[0026] Therefore, the invention solves the problem of product instability, since the active ingredient remains in solution or suspension for the time of administration only.

[0027] Another aspect of the invention is related to the application of capsules filling technology currently used for the production of respiratory powder in capsules. The homogeneous mix of solid excipient and active ingredient may be dosed in the reservoir in a precise quantity, e.g. from 5 to 200 mg, preferably 24 mg. This technology solves the problem of dosage uniformity.

[0028] The problem of components compatibility is solved by suitably selecting excipients of current use in respiratory products. In particular, lactose monohydrate is widely used in dry powder inhalatory formulations.

[0029] The present invention also relates to a method for the preparation of the formulation according to the previous claims, wherein micronized Formoterol is homogeneously mixed with the powder excipients, the resulting mix is filled in the reservoir caps and the reservoir caps are placed on the vials previously filled with the liquid component.

[0030] The following examples illustrate the invention in greater detail.

EXAMPLES:

[0031]

Powder component		Liquid component	
Formoterol fumarate	15 µg	Water	3 ml
Lactose monohydrate	25 mg	Sodium chloride	25 mg
Formoterol fumarate	15 µg	Water	3 ml
Lactose monohydrate	50 mg	Polysorbate 80	6 mg
Formoterol fumarate	15 µg	Water	3 ml
Lactose monohydrate	50 mg	Cetostearyl alcohol	9 mg
Formoterol fumarate	15 µg	Water	2 ml
Lactose monohydrate	150 mg	Propylene glycol	1 g
		Polysorbate 80	6 mg

Claims

- 5
1. Pharmaceutical compositions for the inhalatory use, containing powder Formoterol as active ingredient and comprising:
- a vial containing a sterile aqueous vehicle suitable for the respiratory administration;
 - a reservoir cap containing a homogeneous mix of Formoterol powder or the salts thereof, in micronized form and one or more solid excipients suitable for the respiratory use.
- 10
2. A composition according to claim 1 wherein Formoterol is in the form of fumaric acid salt.
3. A composition according to claim 1 and 2 wherein the vehicle consists of water and sodium chloride, optionally mixed with propylene glycol, ethanol, surfactants and preservatives.
- 15
4. A composition according to claim 3 wherein the surfactant is polysorbate 80 or cetostearyl alcohol.
5. A composition according to the previous claims wherein the powder excipient is selected from lactose, mannitol, glucose and isoleucine.
- 20
6. A composition according to any one of claims 1 to 5, wherein the liquid component is sterile.
7. A composition according to the previous claims wherein the container system used for extemporaneous solution is a unit dose or multiple dose.
- 25
8. A composition according to any one of claims 1 to 6, wherein a further active ingredient is combined with Formoterol in the powder mix, placed in the reservoir.
9. A composition according to any one of claims 1 to 7, wherein a further active ingredient is combined with Formoterol and it is present in suspension or solution in the liquid component of container system.
- 30
10. A composition according to claim 8 or 9, wherein the active ingredient combined with the Formoterol is Budesonide, Fluticasone, Flunisolide, Mometasone or Ipratropium bromide.
- 35
11. A method for the preparation of the formulation according to the previous claims, wherein micronized Formoterol is homogeneously mixed with the powder excipients, the resulting mix is filled in the reservoir caps and the reservoir caps are placed on the vials previously filled with the liquid component.



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 00 4635

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. CL.7)
X	WO 97 39831 A (BOEHRINGER INGELHEIM KG) 30 October 1997 (1997-10-30) * page 1, line 22 - line 32 *	1	A61K9/72 A61K31/167
Y	* page 5, line 4 - page 6, line 2 *	2-11	
Y	DE 198 47 969 A (BOEHRINGER INGELHEIM PHARMA KG) 20 April 2000 (2000-04-20) * the whole document *	2-11	
A	WO 98 31351 A (ASTRA AKTIEBOLAG) 23 July 1998 (1998-07-23) * the whole document *	1,2,5	
D,A	WO 99 17754 A (SEPRACOR INC.) 15 April 1999 (1999-04-15) * page 2, line 7 - page 4, line 3 * * claims 1,2,4,7-9 *	1-11	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int. CL.7)
			A61K
Place of search		Date of completion of the search	Examiner
THE HAGUE		28 May 2002	Benz, K
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03.02 (P04001)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 00 4635

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

28-05-2002

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9739831	A	30-10-1997	DE 19615422 A1	20-11-1997
			AT 213665 T	15-03-2002
			AU 718754 B2	20-04-2000
			AU 2699797 A	12-11-1997
			BG 102895 A	30-07-1999
			BR 9708699 A	03-08-1999
			CA 2251828 A1	30-10-1997
			CN 1216942 A	19-05-1999
			DE 59706499 D1	04-04-2002
			EE 9800343 A	15-04-1999
			WO 9739831 A1	30-10-1997
			EP 0892681 A1	27-01-1999
			HU 9903408 A2	28-03-2000
			JP 2000508567 T	11-07-2000
			NO 984837 A	16-10-1998
			NZ 332520 A	30-08-1999
			PL 329385 A1	29-03-1999
			SK 144798 A3	10-03-1999
			TR 9802105 T2	22-03-1999
			US 2001009151 A1	26-07-2001
			ZA 9703339 A	10-12-1997
DE 19847969	A	20-04-2000	DE 19847969 A1	20-04-2000
			AU 6201999 A	08-05-2000
			BG 105391 A	30-11-2001
			BR 9914507 A	26-06-2001
			CN 1333682 T	30-01-2002
			CZ 20011362 A3	12-09-2001
			WO 0023065 A2	27-04-2000
			EP 1121112 A2	08-08-2001
			NO 20011663 A	03-04-2001
			SK 4942001 A3	11-09-2001
			TR 200101096 T2	21-12-2001
			US 6150418 A	21-11-2000
WO 9831351	A	23-07-1998	AU 728835 B2	18-01-2001
			AU 5785898 A	07-08-1998
			BE 1011401 A3	03-08-1999
			BR 9806895 A	16-05-2000
			CZ 9902556 A3	13-10-1999
			EE 9900294 A	15-02-2000
			EP 1009394 A1	21-06-2000
			ES 2149082 A1	16-10-2000
			FR 2759907 A1	28-08-1998
			GR 98100022 A	30-09-1998
			HU 0000843 A2	28-09-2000

EPO FORM P459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 00 4635

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

28-05-2002

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9831351 A		IE 980025 A1	07-10-1998
		JP 2001508792 T	03-07-2001
		NL 1008021 C2	07-10-1998
		NL 1008021 A1	22-07-1998
		NO 993538 A	17-09-1999
		NZ 336593 A	26-01-2001
		PL 334528 A1	28-02-2000
		WO 9831351 A1	23-07-1998
		SK 95899 A3	18-01-2000
		TR 9901692 T2	21-09-1999
		US 5983956 A	16-11-1999
		US 6199607 B1	13-03-2001
WO 9917754 A	15-04-1999	AT 215820 T	15-04-2002
		AU 743174 B2	17-01-2002
		AU 9687998 A	27-04-1999
		CA 2301569 A1	15-04-1999
		DE 69804832 D1	16-05-2002
		EP 1021172 A1	26-07-2000
		HU 0003917 A2	28-03-2001
		JP 2001518494 T	16-10-2001
		NO 20001747 A	05-04-2000
		WO 9917754 A1	15-04-1999
		US 6161536 A	19-12-2000

EPO FORM P4559

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82